EPSON®

EXCEED YOUR VISION

Epson Business Projectors

3LCD

EPSON PROJECTORS No.1 FOR THE LAST 6 YEARS WORLD LEADER

Educate, entertain and inspire

Epson – the world leader for 6 years*

Transform your business presentations with the projector range that leads the market. Trust our cutting edge projector technologies to put your message across clearly in auditoriums, boardrooms, classrooms or on the road.

*Source: Decision Tree Consulting Limited

Our projection technology: 3LCD

3LCD is the core of every Epson projector and the **world's preferred projection technology.** It is simple, reliable but extremely advanced and enables superb quality, smooth and natural colour image reproduction.



Single panel system*



3LCD system

Innovations in presenting: EasyMP™

Take charge of the way you present with the three flexible features of Epson EasyMP™. Now you can monitor and control your projector from anywhere and make the biggest impact on your audience.

1. Enhanced connectivity – connect your EasyMP™ projector through a network, USB cable or via wireless. Make multi-screen presentations by connecting up to four projectors simultaneously (wireless or wired).**

2. PC-less technology – leave your PC behind – all you need is an EasyMP™ projector to make superb presentations. Simply insert your USB key for easy, stand-alone presenting.

3. Networking functions – view and control settings for all networked projectors from one PC. Keep presentations running smoothly in the event of technical problems with automatic alerts and reports.







Image for illustrative purposes only

**only available on the 1705/1715 and 1815

Product selector guide

Page

Value Desktop

Epson EMP-S5

SVGA
2.6Kg
2000lm

Epson EMP-X5

XGA
2.7Kg
2200lm

04 – 05

Mobile Professional

Epson EMP-83

XGA
2.9Kg
2200lm
EasyMP™
LAN

Epson EMP-822

XGA
2.9Kg
2600lm
EasyMP™
LAN

06 – 07

Ultra-portable

Epson EMP-1700

XGA
1.6Kg
2200lm

Epson EMP-1705

XGA
1.7Kg
2200lm
EasyMP™
LAN
WiFi

Epson EMP-1710

XGA
1.6Kg
2700lm

Epson EMP-1715

XGA
1.7Kg
2700lm
EasyMP™
LAN
WiFi

08 – 09

Premium Professional

Epson EMP-1810

XGA
2.9Kg
3500lm

Epson EMP-1815

XGA
3.1Kg
3500lm
EasyMP™
LAN
WiFi

10 – 11

Large Venue Installation

Epson EMP-6100

XGA
7.0Kg
3500lm
EasyMP™
LAN

Epson EMP-7900

XGA
5.6Kg
4000lm
EasyMP™
LAN

Epson EMP-8300

XGA
11.2Kg
5200lm
EasyMP™
LAN

12 – 13

Accessories 14 – 15

Specifications 16

Key

Resolution
Weight (Kg)
Brightness (ANSI Lumens)
LAN EasyMP™ Networking functions
WiFi EasyMP™ Wireless and PC-less



Value desktop

Brighten up **classrooms or meeting rooms** and move easily between locations. Get set up quickly and project superb, colourful images from a range of positions. These projectors are also fully compatible with the latest digital whiteboard systems.

High brightness, low energy consumption

Save money and energy with Epson's exclusive E-TORL lamp technology. Achieve excellent brightness with these low wattage lamps. And enjoy long-lasting, reliable performance too.

Normal type lamp

Lose 20% – 30% of total light



Epson Twin optimised reflection lamp



Ready to go in seconds

Finish your presentation and move on to your next appointment in seconds with Instant Off. There is no need to wait. Simply switch off, unplug cables, pack up in the carry case and go.



1. Switch projector off



2. Unplug cables



3. Pack in carry case

Epson EMP X5

High-performance, reliable, cost-effective office or classroom projector

- Excellent images whatever your subject with Epson 3LCD technology
- Easy operation and fast action with 5 second set-up and 1 second shut down
- Exclusive Epson E-TORL lamp lasts 4000 hours, produces 2200 lumens brightness
- Present without distractions – super-quiet operation at just 28db

Everything you need to make great presentations, including remote control and convenient carry case.

XGA | 2.7Kg | 2200lm

Pause instantly during presentations and protect the lens when on the move with the A/V Mute Slide.

Without keystone correction

With keystone correction

Keystone correction

Rely on a uniform screen and images from a range of positions with Keystone Correction (automatic on Epson EMP-X5).

Carry case

Travel safely and securely between venues with the custom made carry case.

Epson EMP S5

SVGA | 2.6Kg | 2000lm

Combine high-quality educational and office presenting with reliability and affordability

- Superb image reproduction with Epson 3LCD technology and 2000 lumens brightness
- Stay mobile – just 2.6Kg with a carry case for easy portability and storage

Mobile professional

Bring high-performance and simple control to **boardroom or meeting room** presenting. Add flexibility with connection to corporate networks. Move easily between venues or create a permanent setup with a range of ceiling mounting features.

Seamless networking

Connect your Epson projectors directly to your corporate network for remote projector management, maintenance and control from one PC.



Perfect for ceiling mounting

Thanks to Direct On and Direct Off functions, you can turn the projector on and off directly from the room's power switch. No need to wait for cool down or stand-by.



Direct On / Direct Off

Epson EMP 822

Combine superb quality images with extensive networking, connectivity and portability

- Combine low energy use with 2600 lumens brightness with the Epson E-TORL lamp
- Direct connection to your network for monitoring and control
- Rely on clear audio even in large rooms with powerful built-in 7W speaker
- Easy maintenance anywhere with Easy-Grab air filter and simple lamp change

Simple maintenance, remote control and extensive security features suit ceiling mounting.

Add flexibility with simultaneous connection to a range of sources, including two PC inputs.

XGA | 2.9Kg | 2600lm | EasyMP™ | LAN

Epson and the environment

Reducing environmental impact through design, production, delivery, process and life cycle.*

- Packaging is 100% recyclable
- Our projectors are manufactured without any paint
- Power consumption is kept down with low-wattage Epson E-TORL lamps
- Timer functions and quick power on/off minimise power consumption when not in use

*Only applicable on Value Desktop and Mobile Professional range



Epson EMP 83

XGA | 2.9Kg | 2200lm | EasyMP™ | LAN

Add quality, versatility and affordability to corporate presenting

- Bright, colourful images with Epson 3LCD technology and 2200 lumens brightness
- Hold audience attention, even in bigger rooms, with built-in 7W speaker

Ultra-portable

Make great presentations and move easily between venues with an Epson Ultra-portable projector. These are perfect presenting partners for serious **travelling professionals** looking to combine superb quality images with compact dimensions.

No more wires

Enjoy wireless flexibility with Epson EasyMP™. Connect up to four projectors to a laptop without any cables for multi-screen presentations. You can also connect many more on a wired LAN.



Leave your PC behind

Make life smoother by presenting directly from your projector. Simply insert a USB memory stick or any other memory devices (with optional adapters).



Don't carry a computer – show your presentations, slide shows or movies directly from a USB key.

Epson EMP 1715

A big performer in a lightweight body – full wireless, networking and PC-less features

- Discover mobile quality with XGA resolution and incredible 2700 lumens – from just 1.7kg!
- Forget cables thanks to high speed wireless connectivity up to 54Mbs
- Keep audiences focused by pausing presentations with AV Mute Slide function
- Ensure security and confidentiality with advanced wireless security

It is so easy to get mobile with the very small, convenient carry case. Ideal for storage too.

Make short breaks in your presentations – and keep the lens safe on the move – with the sliding lens cover.

XGA | 1.7Kg | 2700lm
EasyMP™ | LAN | WiFi

Epson EMP 1700

XGA | 1.6Kg | 2200lm

The ideal presenting partner for the discerning, budget-conscious mobile presenter

- Start working quickly with 7 seconds from power-on to projection
- Navigate through presentations via remote control based USB mouse

Epson EMP 1705

XGA | 1.7Kg | 2200lm
EasyMP™ | LAN | WiFi

Enjoy mobile quality with this networkable, wireless, stand-alone projector

- Add versatility to presentations with Epson EasyMP™ technology and USB connection
- Join a local network, take wireless control and work without a PC

Epson EMP 1710

XGA | 1.6Kg | 2700lm

Make a big impression anywhere with this high-performance, lightweight projector

- High-quality mobile presenting – XGA resolution and 2700 lumens in just 1.6kg
- Project a stunning 60 inch screen from just 2m away

Premium professional

Combine big venue brightness and resolution with the bonus of easy portability. An Epson Premium professional projector is ideal for **hotels, sports venues and conference centres** looking for flexibility without compromising performance.

Compact Flash versatility*

Update presentations quickly and easily by rewriting Compact Flash memory while the card is still in the projector. Simply connect to the projector via the local network and rewrite using ftp.

*Only on Epson EMP-1815



Stand-alone presenting via the Compact Flash memory card slot.

One button perfection

Get set up even faster by creating a superb image at the touch of a button. You can prepare to present while the Quick Setup function produces a superb, perfectly square image in just 6 seconds.



Start presenting quickly with 6 second auto setup.

Epson EMP 1815

Make a big impact with this lightweight, powerful projector with Epson EasyMP™ technology

- Get set up quickly and easily, with 6 seconds Quick Setup
- Epson EasyMP™ technology for extensive PC-free, networked and wireless features
- Flexible positioning – project an 80" image from 2.4m with 1.6x zoom ratio
- Keep file transmission secured with market-leading wireless security

Full range of connectivity includes Compact Flash slot and RJ45 for network connection.

Connect your Epson EMP-1815 to a wired or wireless network, or present via Compact Flash cards or the USB port.

XGA | 3.1Kg | 3500lm | EasyMP™ | LAN | WiFi

Simple USB connection

Save time by connecting your projector to a PC directly via USB cable. There is no need for a VGA cable or manual source switching. The projector recognises the signal and starts projecting automatically.

These powerful but compact projectors can be carried around easily or mounted more permanently on the ceiling.

Epson EMP 1810

XGA | 2.9Kg | 3500lm

Impress audiences with Epson 3LCD quality and versatility in an installation set up or on the move

- Project clear images in any room or light conditions with 3500 lumens brightness in only 2.9kg
- Get set up quickly, pause with the AV Mute Slide, and move on with Direct Power Off

Large venue installation

Present the biggest, brightest performance to high-capacity audiences. These versatile projectors deliver big screen entertainment at its boldest and most colourful. They give you the power to dominate any **auditorium, theatre or lecture hall.**



Dust and smoke resistant*

Maintain superb performances even in dusty conditions with extensive projector protection. All seams are sealed and the filter's surface is electrostatically charged, so only clean air gets in.

*Epson EMP-6100 only

Epson EMP 6100

Durable, high powered projector designed to perform in tough, networked environments

- Project brilliant images in the biggest auditoriums with 3500 lumens brightness
- Avoid dust or smoke damage with a sealed casing and robust smoke filters
- Keep costs low with simple maintenance and exceptional reliability
- Stay secure with cable bar, lockable cable cover and even alert via your LAN

The super high-efficiency filter keeps dust particles at bay, so your projector keeps on performing.



Projector installed using ceiling mount.

The fixed glass lens cover protects the lens from damage and further helps to prevent dust or smoke degradation.

XGA | 7.0Kg | 3500lm | EasyMP™ | LAN

Full range of connectivity (EMP-7900)

The enhanced connectivity in Epson installation projectors adds flexibility to presentations and allows the connection of several sources simultaneously. The projector can be monitored and controlled through wired LAN thanks to the built-in RJ45 connectivity.



*Audio input available

Epson EMP 7900

XGA | 5.6Kg | 4000lm | EasyMP™ | LAN

A compact installation projector with super-brightness that lights up any environment

- Let your projector detect the projection angle and adjust the image for you
- Set up easily and adjust focus and colour at the touch of a button

Epson EMP 8300

XGA | 11.2Kg | 5200lm | EasyMP™ | LAN

Epson's flagship networkable installation projector. A superior performance at any venue

- Ensure an easy installation with lens shift and many optional lenses
- Integrate seamlessly into any infrastructure with EasyMP™ networking

Enhance presentations with quality Epson accessories. E-TORL lamps offer continued performance. Furthermore projection screens, ceiling mount kits and a variety of lenses add flexibility to any situation.

Epson E-TORL lamps

The patented Epson E-TORL lamp is a huge step forward. It actually produces brighter images from a lower wattage bulb. Amazing benefits include lower power consumption, less heat, longer lamp life and quieter operation.

Epson Twin optimised reflection lamp



Replacement lamps

Projector compatibility	Lamp description	Order number
EMP-S5, EMP-X5	170W UHE / E-TORL lamp	V13H010L41
EMP-83, EMP-822	170W UHE / E-TORL lamp	V13H010L42
EMP-1700, EMP-1705, EMP-1710, EMP-1715	170W UHE / E-TORL lamp	V13H010L38
EMP-1810 and EMP-1815	210W UHE / lamp	V13H010L40
EMP-6100	230W UHE / lamp	V13H010L37
EMP-7900	250W UHE / lamp	V13H010L22
EMP-8300	320W UHE / lamp	V13H010L23

Portable screens

Create a total presenting system with a light, portable, high-quality Epson screen. They are easy to put up and a perfect partner for your projector. Choose from three sizes:

50" screen (4:3) = V12H002S06

60" screen (4:3) = V12H002S07

80" screen (4:3) = V12H002S08

Ceiling mount kits

Ceiling mount kits



Ceiling plate

Suspension plate

Description	Order Number	EMP-S5, EMP-X5, EMP-83, EMP-822	EMP-1700, EMP-1705, EMP-1710, EMP-1715	EMP-1810, EMP-1815	EMP-6100	EMP-7900	EMP-8300
Ceiling mount kit (silver)	V12H003B13					●	
Ceiling mount kit (silver)	V12H003B14						●
Universal ceiling mount kit (silver)	V12H003B18	●	●	●			
Ceiling mount kit (silver)	V12H003B21				●		
Ceiling plate	V12H003C03	●	●	●		●	●
Suspension adapter 370 mm	V12H003P04	●	●	●		●	●
Suspension adapter 570 mm	V12H003P05	●	●	●		●	●
Suspension adapter 770 mm	V12H003P06	●	●	●		●	●
Suspension adapter 450 mm	V12H003P11				●		
Suspension adapter 700 mm	V12H003P12				●		

Lenses

Lens Type	Standard Lens	Wide Zoom Lens	Rear Projection Wide Lens	Middle Throw Zoom Lens	Middle Throw Zoom Lens	Long Throw Zoom Lens	Middle Throw Zoom Lens	Long Throw Zoom Lens	Wide Throw Zoom Lens
Lens reference	ELPLS02	ELPLW02	ELPLR02	ELPLM01	ELPLM02	ELPLL04	ELPLM03	ELPLL05	ELPLW03
Order number	V12H004S02	V12H004W02	V12H004R02	V12H004M01	V12H004M02	V12H004L04	V12H004M03	V12H004L05	V12H004W03
Compatibility	EMP-8300	EMP-8300	EMP-8300	EMP-8300	EMP-8300	EMP-8300	EMP-7900	EMP-7900	EMP-7900
Focal length	54-72.9 mm	38-53.2 mm	25 mm	70.3-105.8 mm	103.7-155.9 mm	153.3-207.3 mm	36-48 mm	48.4-64.5 mm	28-37 mm
Zoom ratio	1.35:1	1.4:1	--	1.5:1	1.5:1	1.35:1	1.35:1	1.35:1	1.35:1
F number	1.7-2.2	2.3-3.2	2.3	2.0-2.7	2.0-2.9	2.2-2.8	1.8-2.8	1.8-2.5	1.7-2.3
Screen size	22"-600"	40"-600"	55"-120"	60"-600"	60"-600"	60"-600"	30"-300"	30"-300"	30"-300"
Focus	Motorised	Motorised	Manual	Motorised	Motorised	Motorised	Manual	Manual	Manual

		Value Desktop		Mobile Professional		Ultra-portable	
		Epson EMP-S5	Epson EMP-X5	Epson EMP-83	Epson EMP-822	Epson EMP-1700	Epson EMP-1710
Native resolution		SVGA (800x600)	XGA (1024x768)	XGA (1024x768)	XGA (1024x768)	XGA (1024x768)	XGA (1024x768)
Resolution supported		VGA ~ UXGA	VGA ~ UXGA	VGA ~ UXGA	VGA ~ UXGA	VGA ~ UXGA	VGA ~ UXGA
Brightness	**Normal mode**	2000 lm	2200 lm	2200 lm	2600 lm	2200 lm	2700 lm
(ANSI lumens)	**Economy mode**	1600 lm	1760 lm	1760 lm	2080 lm	1700 lm	2100 lm
Weight		2.6 kg	2.7 kg	2.9 kg	2.9 kg	1.6 kg	1.6 kg
Dimensions (DxWxH)		245x327x92 mm	245x327x92 mm	245x327x92 mm	245x327x92 mm	193x273x68 mm	193x273x68 mm
Noise (Eco mode)		28 dB	28 dB	28 dB	28 dB	35 dB	35 dB
Contrast ratio		400:1	400:1	400:1	400:1	400:1	400:1
Lamp type		170 W UHE (E-TORL)	170 W UHE (E-TORL)	170 W UHE (E-TORL)	170 W UHE (E-TORL)	170 W UHE (E-TORL)	170 W UHE (E-TORL)
Lamp life	**Normal mode**	3000	3000	3000	3000	2000	2000
	Economy mode	4000	4000	4000	4000	3000	3000
Lens	**F number**	1.44	1.6-1.74	1.6-1.74	1.6-1.74	1.6-1.77	1.6-1.77
	Focal length	16.6 mm	18.4-22.12 mm	18.4-22.12 mm	18.4-22.12 mm	23.77-28.54 mm	23.77-28.54 mm
	Zoom type	digital 1:1.35	optical 1:1.2	optical 1:1.2	optical 1:1.2	optical 1:1.2	optical 1:1.2
Screen size		30" to 300"	30" to 300"	30" to 300"	30" to 300"	30" to 300"	30" to 300"
Projection distance for 60"		1.8-2.4m	1.7-2.1m	1.7-2.1m	1.7-2.1m	2-2.4m	2-2.4m
Keystone correction	**Vertical**	-30 to +30 degrees	-30 to +30 degrees (automatic)	-30 to +30 degrees (automatic)	-30 to +30 degrees (automatic)	-30 to +30 degrees (automatic)	-30 to +30 degrees (automatic)
	Horizontal	no	no	no	no	no	no
Input	**Video**	1xS-Video, 1xRCA 1xComponent(shared)	1xS-Video, 1xRCA 1xComponent(shared)	1xS-Video, 1xRCA 2xComponent(shared)	1xS-Video, 1xRCA 2xComponent(shared)	1xS-Video, 1xRCA 1xComponent(shared)	1xS-Video, 1xRCA 1xComponent(shared)
	Computer	1xD-sub 15-pin(RGB)	1xD-sub 15-pin(RGB)	2xD-sub 15-pin(RGB)	2xD-sub 15-pin(RGB)	1xD-sub 15-pin(RGB)	1xD-sub 15-pin(RGB)
	Audio	2xRCA	2xRCA	2xmini-jack, 2xRCA	2xmini-jack, 2xRCA	1xmini-jack	1xmini-jack
	Control	USB B	USB B	RS-232C and USB B	RS-232C and USB B	USB B	USB B
Output	**Computer**	no	no	1xD-sub 15-pin	1xD-sub 15-pin	no	no
	Audio	no	no	1 x mini-jack	1 x mini-jack	no	no
Built-in speakers		1W mono	1W mono	7W mono	7W mono	1W mono	1W mono
EasyMP™	**Network interface**	no	no	LAN (RJ45) x 1	LAN (RJ45) x 1	no	no
	Wireless	no	no	no	no	no	no
	PC less functions	no	no	no	no	no	no
Mouse emulation	**USB**	no	no	no	no	yes	yes
Power consumption		231W	231W	231W	231W	228W	228W
Accessories included	**Remote control**	yes	yes	yes	yes	yes	yes
	RGB cable	yes	yes	yes	yes	yes	yes
	USB cable	no	no	no	no	no	no
	Carry case	yes	yes	yes	yes	yes	yes

		Ultra-portable		Premium Professional		Large Venue Installation		
		Epson EMP-1705	Epson EMP-1715	Epson EMP-1810	Epson EMP-1815	Epson EMP-6100	Epson EMP-7900	Epson EMP-8300
Native resolution		XGA (1024x768)	XGA (1024x768)	XGA (1024x768)	XGA (1024x768)	XGA (1024x768)	XGA (1024x768)	XGA (1024x768)
Resolution supported		VGA ~ UXGA	VGA ~ UXGA	VGA ~ UXGA	VGA ~ UXGA	VGA ~ UXGA	VGA ~ UXGA	VGA ~ UXGA
Brightness	**Normal mode**	2200 lm	2700 lm	3500 lm	3500 lm	3500 lm	4000 lm	5200 lm
(ANSI lumens)	**Economy mode**	1700 lm	2100 lm	2700 lm	2700 lm	2700 lm	3000 lm	3000 lm
Weight		1.7 kg	1.7 kg	2.9 kg	3.1 kg	7 kg	5.6 kg	11.2 kg
Dimensions (DxWxH)		193x273x68 mm	193x273x68 mm	257x345x86 mm	257x345x86 mm	340x465x146 mm	325x419x117 mm	491x349x179 mm
Noise (Eco mode)		35 dB	35 dB	32 dB	32 dB	33 dB	33 dB	33 dB
Contrast ratio		400:1	400:1	500:1	500:1	500:1	700:1	1500:1
Lamp type		170 W UHE (E-TORL)	170 W UHE (E-TORL)	210W UHE	210W UHE	230W UHE	250W UHE	320W UHE
Lamp life	**Normal mode**	2000	2000	2500	2500	2500	2000	2000
	Economy mode	3000	3000	3000	3000	3000	3000	3000
Lens	**F number**	1.6-1.77	1.6-1.77	1.75-2.42	1.75-2.42	1.75-2.42	different lens options	different lens options
	Focal length	23.77-28.54 mm	23.77-28.54 mm	24.0-38.2 mm	24.0-38.2 mm	24.0-38.2 mm	different lens options	different lens options
	Zoom type	optical 1:1.2	optical 1:1.2	optical 1:1.6	optical 1:1.6	optical 1:1.6	different lens options	different lens options
Screen size		30" to 300"	30" to 300"	30" to 300"	30" to 300"	30" to 300"	different lens options	different lens options
Projection distance for 60"		2-2.4m	2-2.4m	1.8-2.9m	1.8-2.9m	1.8-2.9m	different lens options	different lens options
Keystone correction	**Vertical**	-30 to +30 degrees (automatic)	-30 to +30 degrees (automatic)	-45 to +45 degrees (automatic)	-45 to +45 degrees (automatic)	-30 to +30 degrees	-45 to +45 degrees (automatic)	-45 to +45 degrees
	Horizontal	no	no	-30 to +30 degrees (automatic)	-30 to +30 degrees (automatic)	no	-20 to +20 degrees	-40 to +40 degrees
Input	**Video**	1xS-Video, 1xRCA 1xComponent(shared)	1xS-Video, 1xRCA 1xComponent(shared)	1xS-Video, 1xRCA 2xComponent(shared)	1xS-Video, 1xRCA 2xComponent(shared)	1xS-Video, 1xRCA 2xComponent(shared)	1xS-Video, 1xRCA 5xBCN 1xComponent(shared)	1xS-Video, 1xRCA 5xBCN 2xComponent(shared)
	Computer	1xD-sub 15-pin(RGB)	1xD-sub 15-pin(RGB)	2xD-sub 15-pin(RGB)	2xD-sub 15-pin(RGB)	2xD-sub 15-pin(RGB)	1xD-sub 15-pin(RGB), 1xDVI-D	2xD-sub 15-pin(RGB), 1xDVI-D
	Audio	1xmini-jack	1xmini-jack	2xmini-jack, 2xRCA	2xmini-jack, 2xRCA	3xmini-jack, 2xRCA	1xmini-jack, 6xRCA	3xmini-jack, 6xRCA
	Control	USB B and wireless	USB B and wireless	RS-232C and USB B	RS-232C, USB and Wireless	RS-232C	RS-232C and USB B	RS-232C and USB B
Output	**Computer**	no	no	1 x D-sub 15-pin	1 x D-sub 15-pin	1 x D-sub 15-pin	1 x D-sub 15-pin	1 x D-sub 15-pin
	Audio	1xmini-jack (shared)	1xmini-jack (shared)	1 x mini-jack	1 x mini-jack	1 x mini-jack	1 x mini-jack	1 x mini-jack
Built-in speakers		1W mono	1W mono	5W mono	5W mono	5W mono	5W mono	7W mono
EasyMP™	**Network interface**	yes (optional module)	yes (optional module)	no	LAN (RJ45) x 1	LAN (RJ45) x 1	LAN (RJ45) x 1	LAN (RJ45) x 1
	Wireless	yes (802.11a/b/g)	yes (802.11a/b/g)	no	yes (802.11a/b/g)	no	no	no
	PC less functions	yes (USB type A)	yes (USB type A)	no	yes (USB A and Compact Flash)	no	no	no
Mouse emulation	**USB**	yes	yes	yes	yes	no	yes	yes
Power consumption		228W	228W	286W	286W	310W	350W	450W
Accessories included	**Remote control**	yes	yes	yes	yes	yes	yes	yes
	RGB cable	yes	yes	yes	yes	yes	yes	yes
	USB cable	yes	yes	no	yes	no	yes	yes
	Carry case	yes	yes	yes	yes	no	no	no

EPSON COVERPLUS

Telephone: 08702 416900 (UK)
1 800 409132 (Republic of Ireland)
E-mail: info@epson.co.uk

www.epson.co.uk
www.epson.ie
Fax: +44 (0) 8702 413093

Epson® is a registered trademark of Seiko Epson® Corporation. All other product names and other company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners. Errors and omissions excepted, all specifications are subject to change without notice.

EPSON®

Business Projector Range – 1GB – 09/07 – 7104032